



Application Number

IDS Flag Clearance for Application

**IDS
Information**

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	03-11-2004	9	<input checked="" type="checkbox"/>	06-21-2004 15:27:35 dprice

	Type	Hits	Search Text	DBs
1	BRS	2	"798504".ap.	US-PGPUB
2	BRS	1	"798493".ap.	US-PGPUB
3	BRS	0	(circuit board) and controller and (bulb with (socket or port)) ((transparent or clear) cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	79	(circuit board) and controller and bulb and ((transparent or clear) cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	784502	(light emitting diode\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	930821	S5 or bulb\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	284	(circuit board) and controller and S6 and ((transparent or clear) cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	136	(circuit board) and controller and S6 and ((transparent or clear) cover) and flash\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	60	(out door) (light or lamp or sign)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	419	(out door) with ((light or lamp or (illuminat\$5 sign)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	13	(circuit board) and controller and S6 and ((transparent or clear) cover) and (outdoor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	284	(circuit board) and controller and S6 and ((transparent or clear) cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	148	S12 not S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	13	("2506620" "2514892" "3493926" "3873885" "4173035" "4197154" "4204273" "4488207" "4514791" "4521838").PN.	US-PGPUB; USPAT; USOCR
15	BRS	11	("4628421").URPN.	USPAT
16	IS&R	6	((("6402339") or ("6626558") or ("6683421") or ("5822053") or ("4972093") or ("5632551"))).PN.	USPAT
17	IS&R	0	("signordisplayor((outdoor)with(lightorlamp))").PN.	USPAT
18	BRS	2011748	sign or display or ((out door) with (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	176882	S18 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	209	(circuit board) and controller and S6 and ((transparent or clear) cover) and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	98	S20 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	1443	362/812.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	2	(circuit board) and controller and S6 and ((transparent or clear) cover) and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	4	(circuit board) and controller and S6 and ((transparent or clear) cover) and "40"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	51	(circuit board) and controller and S6 and ((transparent or clear) cover) and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/559.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/95.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/125.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
29	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/133.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/145-153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/153.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/227,253.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/410,431.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	19	(circuit board) and controller and S6 and ((transparent or clear) cover) and 362/800,812,806,802.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	43	(circuit board) and controller and S6 and ((transparent or clear) cover) and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	83	(circuit board) and controller and S6 and ((transparent or clear) cover) and "EXIT"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	54	(circuit board) and controller and S6 and ((transparent or clear) cover) and "EXIT" AND FLASH\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	IS&R	1	("6461017").PN.	USPAT
39	IS&R	15	((("6177133") or ("6342292") or ("5869219") or ("5254504") or ("5853500") or ("5139697") or ("6599560") or ("6228561") or ("3979535") or ("6254936") or ("6063439") or ("5990542") or ("5670210") or ("5888583") or ("5716673")).PN.	USPAT
40	IS&R	1	("5722760").PN.	USPAT
41	BRS	15	("3404475" "3447253" "3553870" "3881809" "4028828" "4177497" "4318158" "4547840" "4897769" "5151679" "5276598" "5339550").PN.	US-PGPUB; USPAT; USOCR
42	BRS	14	("5722760").URPN.	USPAT
43	IS&R	1	("5657004").PN.	USPAT
44	BRS	28	("2358629" "3088996" "3459961" "4035941" "4277904" "4553344" "4639725" "4670798" "4835661" "4853678" "4912457" "4922384" "4934079" "4951045" "4954813" "4984098" "4990092" "5003293" "5111606" "5182872" "5190307" "5275285" "5304084" "5305197" "5315285").PN.	US-PGPUB; USPAT; USOCR
45	BRS	5	("5657004").URPN.	USPAT
46	BRS	418	((out door) with (light or lamp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	45470	(warning or emergency) with (light or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	11	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	45877	S46 or S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	75	(circuit board) and controller and S6 and ((transparent or clear) cover) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
51	BRS	75	(lamp or light) and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	12572	(transparent panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	1340	detach\$5 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	665	S53 and slid\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	272	S53 and (slid\$4 with (groove or hook or slot or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	57	S55 and lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	48169	slid\$6 with panel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	2184	S57 and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	259	S57 and lamp and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	S57 and lamp and "362"/\$.ccls and "outdoor."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	S57 and lamp and "362"/\$.ccls and (out door)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	22	S57 and lamp and "362"/\$.ccls. and rail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	480	S57 and lamp and rail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	434	S63 and @ad < "20030312"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	250	S57 and (light fixture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	233	S65 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	220	S66 and @ad < "20030312"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	1	"798493".ap.	US-PGPUB
69	IS&R	0	("color\$4").PN.	USPAT
70	BRS	1176648	color\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	0	S57 and ((4628421or "6851209" or6167648 or "5657004" or "5722760").pn")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	S70 and ((4628421or "6851209" or6167648 or "5657004" or "5722760").pn")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	0	S70 and (("4628421" or "6851209" or6167648 or "5657004" or "5722760").pn")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	0	S70 and "4628421.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	IS&R	5	((("4628421") or ("5722760") or ("5657004") or ("6167648") or ("6851209")).PN.	USPAT
76	IS&R	2	((("3590237") or ("4712166")).PN.	USPAT
77	BRS	2218	(color\$4 with (light bulb)) or (color\$4 bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	1621	(color\$4 with (light bulb)) or (color\$4 bulb) and 362/147.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

79	BRS	1619	(color\$4 with (light bulb)) or (color\$4 bulb) and 362/147.ccls. and post	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	------	---	--

	Type	Hits	Search Text	DBs
80	BRS	1619	(color\$4 with (light bulb)) or (color\$4 bulb) and 362/147.ccls. and post and ((glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	1619	(color\$4 with (light bulb)) or (color\$4 bulb) and 362/147.ccls. and post and (color\$4 with (glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	1619	(color\$4 with (light bulb)) or (color\$4 bulb) and 362/147.ccls. and post and (color\$4 with (glass or transparent) cover) and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	1619	(color\$4 with (light bulb)) or (color\$4 bulb) and 362/147.ccls. and post and (color\$4 with (glass or transparent) cover) and controller and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	0	((color\$4 with (light bulb)) or (color\$4 bulb)) and 362/147.ccls. and post and (color\$4 with (glass or transparent) cover) and controller and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	0	((color\$4 with (light bulb)) or (color\$4 bulb)) and 362/147.ccls. and (color\$4 with (glass or transparent) cover) and controller and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	0	((color\$4 with (light bulb)) or (color\$4 bulb)) and (color\$4 with (glass or transparent) cover) and controller and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	0	((color\$4 with (light bulb)) or (color\$4 bulb)) and (color\$4 (glass or transparent) cover) and controller and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	962	((color\$4 (light bulb)) or (color\$4 bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	2	((color\$4 (light bulb)) or (color\$4 bulb)) and (color\$4 (glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	71	((color\$4 (light bulb)) or (color\$4 bulb)) and controller and (circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	185	((color\$4 (light bulb)) or (color\$4 bulb)) and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	0	S90 not S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	114	S91 not S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	41	("1871650" "2631394" "2818668" "3015900" "3041600" "3103657" "3104484" "3149841" "3348415" "3389389" "3414999" "3611603" "3651512" "3666936" "3680238" "3761913" "3789211" "3805049" "3898884" "3916404" "3946613" "4068428" "4079555" "4264979" "4333092" "4455096" "4466208" "4587597" "4611265").PN.	US-PGPUB; USPAT; USOCR
95	BRS	27	("4901461").URPN.	USPAT
96	BRS	1621	(color\$4 with (light bulb)) or (color\$4 bulb) and 362/147.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	0	((color\$4 with (light bulb)) or (color\$4 bulb)) and 362/147.ccls. and ((glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	0	((color\$4 with (light bulb)) or (color\$4 bulb)) and 362/147.ccls.) and ((glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

99	BRS	1	(((color\$4 with (light bulb)) or (color\$4 bulb)) and 362/147.ccls.) and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	---	---	---

	Type	Hits	Search Text	DBs
100	BRS	1	((color\$4 with (light bulb)) or (color\$4 bulb)) and "362"/\$.ccls. and post and (color\$4 with (glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	9	((color\$4 with (light bulb)) or (color\$4 bulb)) and "362"/\$.ccls. and (color\$4 with (glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	37	((color\$4 with (light bulb)) or (color\$4 bulb)) and "362"/\$.ccls.) and ((glass or transparent) cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	525	(color\$4 light bulb) or (colored bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	5455	color\$4 with (transparent or translucent) with (cover or lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	43	S103 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	10	("2090239" "2986627" "3328572" "3389246" "3456100").PN.	US-PGPUB; USPAT; USOCR
107	BRS	7	("3831020").URPN.	USPAT
108	IS&R	1	("5863109").PN.	USPAT
109	BRS	15	("2863240" "3666936" "3790772" "3806722" "3824723" "4173038" "4807378" "4922384" "4970812" "5199202" "5210967" "5228879" "5251392" "5365378").PN.	US-PGPUB; USPAT; USOCR
110	BRS	0	("5863109").URPN.	USPAT
111	IS&R	1	("2863240").PN.	USPAT
112	BRS	2	("2863240").URPN.	USPAT
113	BRS	903	(362/147.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	4	(362/147.ccls.) and circuit and controller and post	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	3	(362/147.ccls.) and circuit and controller and outdoor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	78	(362/147.ccls.) and post	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	176	(light or lamp) and (decorative cap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	65	(light or lamp) and (decorative cap) and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	30	(light or lamp) and (decorative cap) and control\$4 and circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	9	("1080405" "1233829" "1927703" "3778610" "4333132" "4492488").PN.	US-PGPUB; USPAT; USOCR
121	BRS	7	("4712166").URPN.	USPAT
122	BRS	7	("4712166").URPN.	USPAT
123	BRS	11	("2709224" "3958118" "3988726" "4787722" "5243508" "5282118" "5308985" "5434764" "5442532" "D315424").PN.	US-PGPUB; USPAT; USOCR
124	BRS	15	lamp with (circuit board) with flasher	US-PGPUB; USPAT; USOCR
125	BRS	0	flasher between (light bulb base) and (circuit board)	US-PGPUB; USPAT; USOCR
126	BRS	3	flasher and (light bulb base) and (circuit board)	US-PGPUB; USPAT; USOCR
127	BRS	329	lamp and (circuit board) and flasher	US-PGPUB; USPAT; USOCR
128	BRS	6	lamp and (circuit board) and flasher and (bulb base)	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
129	IS&R	10	((("1,714,882") or ("2,188,404") or ("2,850,823") or ("3,627,926") or ("3,680,238") or ("4,587,753") or ("4,901,461") or ("5,270,910") or ("3,060,838") or ("5,367,180")).PN.	USPAT
130	IS&R	10	((("1,714,882") or ("2,188,404") or ("2,850,823") or ("3,627,926") or ("3,680,238") or ("4,587,753") or ("4,901,461") or ("5,270,910") or ("6,060,838") or ("6,367,180")).PN.	USPAT
131	BRS	8	("1786155" "2068827" "3207948" "4024532" "4164824").PN.	US-PGPUB; USPAT; USOCR
132	BRS	29	("4587753").URPN.	USPAT
133	BRS	29	("4587753").URPN.	USPAT
134	BRS	0	(circuit board) and controller and ((light bulb) or diode) and blinker and flasher and ((transparent or clear or glass) cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	IS&R	1	("4628421").PN.	USPAT
136	BRS	13	("2506620" "2514892" "3493926" "3873885" "4173035" "4197154" "4204273" "4488207" "4514791" "4521838").PN.	US-PGPUB; USPAT; USOCR
137	BRS	11	("4628421").URPN.	USPAT
138	BRS	1	"4628421".pn. and (lamp with color\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
139	IS&R	5	((("4628421") or ("4901461") or ("4587753") or ("3666936") or ("1714882")).PN.	USPAT
140	IS&R	6	((("4628421") or ("4901461") or ("4587753") or ("3666936") or ("1714882") or ("5406129")).PN.	USPAT
141	BRS	237	362/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
142	BRS	12924	362/276,240-249,310,311,362,363,408,431,433,800,802,812.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
143	BRS	2024	40/205,442,444,451,564,575.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
144	BRS	892	307/125.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
145	BRS	15652	S142 or S143 or S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
146	BRS	82	(circuit board) and (light bulb) and ((transparent or translucent) cover) and (flash\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
147	BRS	18	(circuit board) and (light bulb) and ((transparent or translucent) cover) and (flash\$4) and S145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB